ELSEVIER

European Journal of Pharmacology
Environmental Toxicology and Pharmacology Section 270 (1994) 385–387

ejp
environmental toxicology
and pharmacology

Author index

Abad, F., see Maroto, R. (270) 331
Adler, M., Maxwell, D.M., Filbert, M.G. and Deshpande, S.S.
Contribution of direct actions of the oxime HI-6 in reversing soman-induced muscle weakness in the rat diaphragm (270) 9
Ahlborg, U.G., see Håkansson, H. (270) 279
Alhava, E., see Pellinen, P. (270) 35
Altavilla, D., Squadrito, F., Ioculano, M., Canale, P., Campo, G.M., Zingarelli, B. and Caputi, A.P.
E-selectin in the pathogenesis of experimental myocardial ischemia-reperfusion injury (270) 45
Altieri, P., see Ghiggeri, G.M. (270) 195
Artalejo, A.R., see Maroto, R. (270) 331

Balasubramaniam, E., see Paul, V. (270) 1
Bannenberg, G., Kimland, M., Ryrfeldt, Å., Lundberg, J.M. and Moldéus, P.
Sensory neuropeptide-mediated bronchoconstriction of the guinea pig lung by diamide; a comparison to hydrogen peroxide (270) 175
Baugh, L.E., see Kudlacz, E.M. (270) 291
Benini, L., see Galli, A. (270) 189
Benveniste, J., see Pellegrini, O. (270) 221
Bernard, C., Merval, R., Esposito, B. and Tedgui, A.
Elevated temperature accelerates and amplifies the induction of nitric oxide synthesis in rat macrophages (270) 115
Bisschop, A., see Van den Berg, C. (270) 379
Bondy, S.C. and Guo, S.X.
Effect of ethanol treatment on indices of cumulative oxidative stress (270) 349
Bonnekoh, B., see Sebök, B. (270) 79
Boon, J., see Murk, A. (270) 253
Boon, J.P., Oostingh, I., Van der Meer, J. and Hillebrand, M.T.J.
A model for the bioaccumulation of chlorobiphenyl congeners in marine mammals (270) 237
Bozza, P.T., Castro-Faria-Neto, H.C., Silva, A.R., Larangeira, A.P., Silva, P.M.R., Martins, M.A. and Cordeiro, R.S.B.
Lipopolysaccharide-induced pleural neutrophil accumulation depends on marrow neutrophils and platelet-activating factor (270) 143
Brouwer, A., see Lans, M.C. (270) 129
Brouwer, A., see Murk, A. (270) 253
Burghardt, R., see Fernandez, P. (270) 53

Cacciarelli, N., see Galli, A. (270) 189
Calabrò, F., see Chitano, P. (270) 167
Campo, G.M., see Altavilla, D. (270) 45
Canale, P., see Altavilla, D. (270) 45
Cannell, G.R., see Taylor, S.M. (270) 371
Cano, J., see Vizuete, M.L. (270) 183
Caputi, A.P., see Altavilla, D. (270) 45
Castro-Faria-Neto, H.C., see Bozza, P.T. (270) 143
Cederqvist, B., see Persson, M.G. (270) 273
Chen, S.-P., see Fu, W.-M. (270) 321
Chikahisa, L., see Oyama, Y. (270) 137
Chitano, P., Di Blasi, P., Lucchini, R.E., Calabrò, F., Saetta, M., Maestrelli, P., Fabbri, L.M. and Mapp, C.E.
The effects of toluene diisocyanate and of capsaicin on human bronchial smooth muscle in vitro (270) 167
Chwiecko, M., see Farbiszewski, R. (270) 263
Cordeiro, R.S.B., see Bozza, P.T. (270) 143

Daffonchio, L., see Hernandez, A. (270) 301
Dalen, T., Vestereng, M., Wadsworth, R. and Kane, K.
Effect of hypoxia on contraction and $^{45}Ca^{2+}$ uptake induced by the thromboxane mimetic U46619 in sheep coronary artery (270) 313
Davenas, E., see Pellegrini, O. (270) 221
De la Fuente, M.-T., see Maroto, R. (270) 331
Deshpande, S.S., see Adler, M. (270) 9
Devinsky, F., see Kacani, L. (270) 285
Devoto, P., see Portas, C.M. (270) 123
De Wildt, D.J., see Van den Berg, C. (270) 379
Di Blasi, P., see Chitano, P. (270) 167
Dierich, M.P., see Kacani, L. (270) 285

Erdő, S.L., see Urbányi, Z. (270) 375
Esposito, B., see Bernard, C. (270) 115

Fabbri, L.M., see Chitano, P. (270) 167
Farbiszewski, R., Chwiecko, M. and Ustymowicz, J.
The 21-aminosteroid U-74389G protects the antioxidant enzymes in the ischemia/reperfusion-induced rat brain damage (270) 263
Farrell, A.M., see Kudlacz, E.M. (270) 291
Ferencik, M., see Kacani, L. (270) 285
Fernandez, P., Burghardt, R., Smith, R., Nodland, K. and Safe, S.
High passage T47D human breast cancer cells: altered endocrine and 2,3,7,8-tetrachlorodibenzo-*p*-dioxin responsiveness (270) 53
Fernández-Sánchez, M.T., see Novelli, A. (270) 361
Filbert, M.G., see Adler, M. (270) 9
Florin, T.H.J., see Taylor, S.M. (270) 371
Fu, W.-M., Chen, S.-P. and Wang, S.-M.
Pharmacological evidence for a lack of role for protein kinase C in staurosporine-induced morphological changes in embryonic *Xenopus* myocytes (270) 321
Fukata, M., see Sudo, J.-i. (270) 229

Gajdzik, L., see Thalhammer, T. (270) 213
Galli, A., Mori, F., Benini, L. and Cacciarelli, N.
Acetylcholinesterase protection and the anti-diisopropylfluorophosphate efficacy of E2020 (270) 189
García, A.G., see Maroto, R. (270) 331
García-Sancho, J., see Maroto, R. (270) 331
Geisel, J., see Sebök, B. (270) 79
Gessa, G.L., see Portas, C.M. (270) 123

Ghiggeri, G.M., Altieri, P., Oleggini, R., Spada, F., Ginevri, F., Perfumo, F. and Gusmano, R.
Selective enhancement by cyclosporin A of collagen expression by mesangial cells 'in culture' (270) 195
Ginevri, F., see Ghiggeri, G.M. (270) 195
Goto, K., see Koyama, K. (270) 151
Graf, J., see Thalhammer, T. (270) 213
Grider, J.S., see Kidwell, D.T. (270) 97
Guo, S.X., see Bondy, S.C. (270) 349
Gusmano, R., see Ghiggeri, G.M. (270) 195
Gustafsson, L.E., see Persson, M.G. (270) 273

Håkansson, H., Johansson, L., Manzoor, E. and Ahlborg, U.G.
Effect of 2,3,7,8-tetrachlorodibenzoy-*p*-dioxin on the hepatic 7-ethoxyresorufin *O*-deethylase activity in four rodent species (270) 279
Hayashi, A., see Oyama, Y. (270) 137
Hayashi, T., see Sudo, J.-i. (270) 229
Herman, A.G., see Verbeuren, T.J. (270) 27
Hernandez, A., Daffonchio, L., Vigano', T., Letari, O. and Malandrino, S.
Effect of 3'-hydroxyfarrerol on airway hyperreactivity induced by acute cigarette smoke exposure in guinea pigs (270) 301
Heron, A.E., see Taylor, S.M. (270) 371
Hillebrand, M.T.J., see Boon, J.P. (270) 237
Honkakoski, P., see Pellinen, P. (270) 35
Houbara, T., see Ogino, K. (270) 73

Ichihara, K., see Satoh, K. (270) 365
Ioculano, M., see Altavilla, D. (270) 45
Ishiyama, H., see Ogino, K. (270) 73
Izumi, Y., see Ogino, K. (270) 73

Jackson, B.A., see Kidwell, D.T. (270) 97
Joëls, M., see Karst, H. (270) 357
Johansson, L., see Håkansson, H. (270) 279
Johnston, M.V., see Supko, D.E. (270) 105

Kacani, L., Ferencik, M., Devinsky, F., Möst, J. and Dierich, M.P.
Immunomodulatory effect of sodium dodecyl sulfate on human neutrophils and the human promyelocytic HL-60 cell line (270) 285
Kakuno, K., see Sudo, J.-i. (270) 229
Kane, K., see Dalen, T. (270) 313
Karst, H., Joëls, M., Wadman, W.J. and Piek, T.
Philanthotoxin inhibits Ca^{2+} currents in rat hippocampal CA1 neurons (270) 357
Kazi, M., see Paul, V. (270) 1
Kidwell, D.T., McKeown, J.W., Grider, J.S., McCombs, G.B., Ott, C.E. and Jackson, B.A.
Acute effects of gentamicin on thick ascending limb function in the rat (270) 97
Kimland, M., see Bannenberg, G. (270) 175
Koeman, J.H., see Lans, M.C. (270) 129
Koyama, K., Yamashita, M., Miyauchi, T. and Goto, K.
Mechanisms of hypotension in iminoctadine poisoning: pharmacological analysis in rats (270) 151
Kudlacz, E.M., Shatzer, S.A., Farrell, A.M. and Baugh, L.E.
Parainfluenza virus type 3 induced alterations in tachykinin NK_1 receptors, substance P levels and respiratory functions in guinea pig airways (270) 291
Kuei-Sen Hsu, and Shoei-Yn Lin-Shiau,
Relaxation of rat thoracic aorta induced by 2,2',2''-tripyridine (270) 89

Lakics, V., see Urbányi, Z. (270) 375
Lang, M.A., see Pellinen, P. (270) 35
Lans, M.C., Spiertz, C., Brouwer, A. and Koeman, J.H.
Different competition of thyroxine binding to transthyretin and thyroxine-binding globulin by hydroxy-PCBs, PCDDs and PCDFs (270) 129
Larangeira, A.P., see Bozza, P.T. (270) 143
Letari, O., see Hernandez, A. (270) 301
López, M.G., see Maroto, R. (270) 331
López-Novoa, J.M., see Rivas-Cabañero, L. (270) 119
Lucchini, R.E., see Chitano, P. (270) 167
Lundberg, J.M., see Bannenberg, G. (270) 175
Lunn, W.H.W., see Schoepp, D.D. (270) 67

MacDonald, E., see Unkila, M. (270) 157
Machado, A., see Vizuete, M.L. (270) 183
Maestrelli, P., see Chitano, P. (270) 167
Mahrle, G., see Sebök, B. (270) 79
Malandrino, S., see Hernandez, A. (270) 301
Manuel, Y., see Pellegrini, O. (270) 221
Manzoor, E., see Håkansson, H. (270) 279
Mapp, C.E., see Chitano, P. (270) 167
Maroto, R., De la Fuente, M.-T., Artalejo, A.R., Abad, F., López, M.G., García-Sancho, J. and García, A.G.
Effects of Ca^{2+} channel antagonists on chromaffin cell death and cytosolic Ca^{2+} oscillations induced by veratridine (270) 331
Martins, M.A., see Bozza, P.T. (270) 143
Maxwell, D.M., see Adler, M. (270) 9
McCombs, G.B., see Kidwell, D.T. (270) 97
McDonald, J.W., see Schoepp, D.D. (270) 67
McKeown, J.W., see Kidwell, D.T. (270) 97
Mellemkjær, S. and Nielsen-Kudsk, J.E.
Glibenclamide inhibits hypoxic relaxation of isolated porcine coronary arteries under conditions of impaired glycolysis (270) 307
Merval, R., see Bernard, C. (270) 115
Miyauchi, T., see Koyama, K. (270) 151
Moldéus, P., see Bannenberg, G. (270) 175
Moldéus, P., see Nakagawa, Y. (270) 341
Montero, A., see Rivas-Cabañero, L. (270) 119
Moore, G., see Nakagawa, Y. (270) 341
Mori, F., see Galli, A. (270) 189
Morin, L., see Pellegrini, O. (270) 221
Morse, D., see Murk, A. (270) 253
Möst, J., see Kacani, L. (270) 285
Mullikin-Kilpatrick, D. and Treistman, S.N.
Ethanol inhibition of L-type Ca^{2+} channels in PC12 cells: role of permeant ions (270) 17
Murk, A., Morse, D., Boon, J. and Brouwer, A.
In vitro metabolism of 3,3',4,4'-tetrachlorobiphenyl in relation to ethoxyresorufin-*O*-deethylase activity in liver microsomes of some wildlife species and rat (270) 253

Nakagawa, Y., Nakajima, K., Moore, G. and Moldéus, P.
On the mechanisms of 3-*tert*-butyl-4-hydroxyanisole- and its metabolites-induced cytotoxicities in isolated rat hepatocytes (270) 341
Nakai, T., see Satoh, K. (270) 365
Nakajima, K., see Nakagawa, Y. (270) 341
Nielsen-Kudsk, J.E., see Mellemkjær, S. (270) 307
Niemitz, M., see Pellinen, P. (270) 35
Nodland, K., see Fernandez, P. (270) 53
Novelli, A., Torreblanca, A. and Fernández-Sánchez, M.T.
Two components in neurotoxicity by L-2-amino-3-phosphonopropionate in cultured cerebellar neurons (270) 361

Ogino, K., Izumi, Y., Segawa, H., Takeyama, Y., Ishiyama, H., Houbara, T., Uda, T. and Yamashita, S.
Zinc hydroxide induced respiratory burst in rat neutrophils (270) 73

Oleggini, R., see Ghiggeri, G.M. (270) 195
Oostingh, I., see Boon, J.P. (270) 237
Ott, C.E., see Kidwell, D.T. (270) 97
Oyama, Y., Ueha, T., Hayashi, A. and Chikahisa, L.
Effect of tri-*n*-butyltin on intracellular Ca^{2+} concentration of mouse thymocytes under Ca^{2+}-free condition (270) 137

Pasanen, M., see Pellinen, P. (270) 35
Paul, V., Balasubramaniam, E. and Kazi, M.
The neurobehavioural toxicity of endosulfan in rats: a serotonergic involvement in learning impairment (270) 1
Pelkonen, O., see Pellinen, P. (270) 35
Pellegrini, O., Davenas, E., Morin, L., Tsangaris, G.T., Benveniste, J., Manuel, Y. and Thomas, Y.
Modulation of stress proteins by Cd^{2+} in a human T cell line (270) 221
Pellinen, P., Honkakoski, P., Stenbäck, F., Niemitz, M., Alhava, E., Pelkonen, O., Lang, M.A. and Pasanen, M.
Cocaine *N*-demethylation and the metabolism-related hepatotoxicity can be prevented by cytochrome P450 3A inhibitors (270) 35
Perfumo, F., see Ghiggeri, G.M. (270) 195
Persson, M.G., Cederqvist, B., Wiklund, C.U. and Gustafsson, L.E.
Ethanol causes decrements in airway excretion of endogenous nitric oxide in humans (270) 273
Piek, T., see Karst, H. (270) 357
Piet, J.J., see Van den Berg, C. (270) 379
Pohjanvirta, R., see Unkila, M. (270) 157
Portas, C.M., Devoto, P. and Gessa, G.L.
Effect of ethanol on extracellular 5-hydroxytryptamine output in rat frontal cortex (270) 123

Rivas-Cabañero, L., Montero, A. and López-Novoa, J.M.
Increased glomerular nitric oxide synthesis in gentamicin-induced renal failure (270) 119
Ryrfeldt, Å., see Bannenberg, G. (270) 175

Saetta, M., see Chitano, P. (270) 167
Safe, S., see Fernandez, P. (270) 53
Salhoff, C.R., see Schoepp, D.D. (270) 67
Satoh, K., Nakai, T. and Ichihara, K.
Influence of 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors on mitochondrial respiration in rat liver during ischemia (270) 365
Schoepp, D.D., Lunn, W.H.W., Salhoff, C.R. and McDonald, J.W.
The NMDA receptor agonist DL-(tetrazol-5-yl)glycine is a highly potent excitotoxin (270) 67
Sebök, B., Bonnekoh, B., Geisel, J. and Mahrle, G.
Antiproliferative and cytotoxic profiles of antipsoriatic fumaric acid derivatives in keratinocyte cultures (270) 79
Segawa, H., see Ogino, K. (270) 73
Shatzer, S.A., see Kudlacz, E.M. (270) 291
Shoei-Yn Lin-Shiau, , see Kuei-Sen Hsu, (270) 89
Silva, A.R., see Bozza, P.T. (270) 143
Silva, P.M.R., see Bozza, P.T. (270) 143
Simonet, S., see Verbeuren, T.J. (270) 27
Smith, R., see Fernandez, P. (270) 53
Soyama, M., see Sudo, J.-i. (270) 229
Spada, F., see Ghiggeri, G.M. (270) 195
Spiertz, C., see Lans, M.C. (270) 129
Squadrito, F., see Altavilla, D. (270) 45
Stapf, V., see Thalhammer, T. (270) 213
Steffen, V., see Vizuete, M.L. (270) 183
Stenbäck, F., see Pellinen, P. (270) 35
Sudo, J.-i., Hayashi, T., Terui, J., Soyama, M., Fukata, M. and Kakuno, K.
Kinetics of Cd^{2+} in plasma, liver and kidneys after single intravenous injection of Cd-metallothionein-II (270) 229
Supko, D.E. and Johnston, M.V.
Dexamethasone potentiates NMDA receptor-mediated neuronal injury in the postnatal rat (270) 105

Takeyama, Y., see Ogino, K. (270) 73
Taylor, S.M., Heron, A.E., Cannell, G.R. and Florin, T.H.J.
Pressor effect of ethanol in the isolated perfused human placental lobule (270) 371
Tedgui, A., see Bernard, C. (270) 115
Terui, J., see Sudo, J.-i. (270) 229
Thalhammer, T., Stapf, V., Gajdzik, L. and Graf, J.
Bile canalicular cationic dye secretion as a model for P-glycoprotein mediated transport (270) 213
Thomas, Y., see Pellegrini, O. (270) 221
Torreblanca, A., see Novelli, A. (270) 361
Treistman, S.N., see Mullikin-Kilpatrick, D. (270) 17
Tsangaris, G.T., see Pellegrini, O. (270) 221
Tuomisto, J., see Unkila, M. (270) 157

Uda, T., see Ogino, K. (270) 73
Ueha, T., see Oyama, Y. (270) 137
Unkila, M., Pohjanvirta, R., MacDonald, E. and Tuomisto, J.
Characterization of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-induced brain serotonin metabolism in the rat (270) 157
Urbányi, Z., Lakics, V. and Erdő, S.L.
Serum amyloid P component-induced cell death in primary cultures of rat cerebral cortex (270) 375
Ustymowicz, J., see Farbiszewski, R. (270) 263

Van Amsterdam, J.G.C., see Van den Berg, C. (270) 379
Van den Berg, C., Van Amsterdam, J.G.C., Bisschop, A., Piet, J.J., Wemer, J. and De Wildt, D.J.
Septic shock: no correlation between plasma levels of nitric oxide metabolites and hypotension or lethality (270) 379
Van der Meer, J., see Boon, J.P. (270) 237
Verbeuren, T.J., Simonet, S. and Herman, A.G.
Diet-induced atherosclerosis inhibits release of noradrenaline from sympathetic nerves in rabbit arteries (270) 27
Vestereng, M., see Dalen, T. (270) 313
Vigano', T., see Hernandez, A. (270) 301
Vizuete, M.L., Steffen, V., Machado, A. and Cano, J.
1-Methyl-4-phenylpyridinium has greater neurotoxic effect after selenium deficiency than after vitamin E deficiency in rat striatum (270) 183

Wadman, W.J., see Karst, H. (270) 357
Wadsworth, R., see Dalen, T. (270) 313
Wang, S.-M., see Fu, W.-M. (270) 321
Wemer, J., see Van den Berg, C. (270) 379
Wiklund, C.U., see Persson, M.G. (270) 273
Wu, M.-H. and Yung, B.Y.-M.
Cell cycle phase-dependent cytotoxicity of actinomycin D in HeLa cells (270) 203

Yamashita, M., see Koyama, K. (270) 151
Yamashita, S., see Ogino, K. (270) 73
Yung, B.Y.-M., see Wu, M.-H. (270) 203

Zingarelli, B., see Altavilla, D. (270) 45